	Subtraction	
Foundation Stage 1 Objectives:		
Birth to Three:		
- Combine objects like stacking blocks and cups. P	ut objects inside others and take them out again.	
- Take part in finger rhymes with numbers.		
- React to changes of amounts in a group of up to	three items.	
	sounds, pointing or saying some numbers in sequence.	
Three - Four:		
• Develop fast recognition of up to 3 objects, withou	t having to count them individually ('subitising').	
• Show 'finger numbers' up to 5.	5 / 7 5/	
	ne right number of objects to match the numeral, up to 5.	
• Experiment with their own symbols and marks as we		
• Say one number name for each item in order: 1, 2, 3		
•	a small set of objects tells you how many there are in total	('cardinal principle').
• Solve real world mathematical problems with number	ers up to 5	
• Compare quantities using language 'more than', and	'fewer than'.	
Concrete	Pictorial	Abstract
Use a variety of contexts, such as nursery rhymes	I can count	The use of nursery rhymes to count backwards in
to give purpose to the resources you use.		steps of one.
		Counting back verbally - 5, 4, 3, 2, 1 in the
Use of objects in the environment - remove one to		context of stories.
show how to 'take away'.		
@\ / \$@ Ø\ / \$		
Being able to separate objects and know the total is		
still the same.		
		5 apples take away two apples leaves 3 apples.
		Starting to look at the abstract.
		5 - 2 = 3
		J - Z = J
	(🛶) - (🕂 🏹)	

Foundation Stage 2 Objectives:

Reception:


Understands 'one more than/one less than' relationship between consecutive numbers.

Explore the composition of numbers to 10.

Automatically recall number bonds for numbers 0 - 5 and some to 10.


Early Learning Goal:

Have a deep understanding of numbers to 10, including the composition of each number. Automatically recall number bonds to 5 and some number bonds to 10, including double facts



Year 1 Objectives:

- read, write and interpret mathematical statements involving subtraction (-) and equals (=) signs
- represent and use number bonds and related subtraction facts within 20
- subtract one-digit and two-digit numbers to 20, including zero
- solve one-step problems that involve subtraction, using concrete objects and pictorial representations, and missing number problems such as
 7 = 9



Begin with subtraction of numbers, initially with no exchange.


Make the larger number with beads, then move beads along your string as you count back. 13 - 4 =



Use resources such as tens frame and number beads to model elements of subtraction e.g. 'crossing the tens' boundary, counting back in ones.

<u>12=10=2</u> 0000	0000 12= = 0000		
0000	0000		

Cross out drawn objects to show what has been taken away.



Children practise partitioning the number they are subtracting into parts which help bridge the 10. 13 - 7 = 13 - 3 = 10 10 - 4 = 6	13 - 7 = 6 3 4 5 + 2 + 3 + 4 + 6 + 6 + 6 + 7 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1	13 - 7 = How many do we take off to reach 10? 13 - 3 = 10 How many do we have left to take off? 10 - 4 = 6
Use numicon to find the difference between numbers. e.g. The difference between 10 and 6. Compare amounts and objects to find the difference. Use cubes to build towers or make bars to find the	For the difference between 2 numbers. *6 Count on to find the difference in age between them. Comparison Bar Models Lisa is 13 years old. Her sister is 22 years old. Find the difference in age between them.	Hannah has 22 shells; Helen has 13 shells. Find the difference between the numbers of shells. 22 - 13 = 9
difference Use basic bar models with items to find the difference	22	

Year 2 Objectives:


- solve problems with subtraction:
 - using concrete objects and pictorial representations, including those involving numbers, quantities and measures
 - applying their increasing knowledge of mental and written methods
- recall and use subtraction facts to 20 fluently, and derive and use related facts up to 100
- subtract numbers using concrete objects, pictorial representations, and mentally, including:
 - a two-digit number and ones
 - a two-digit number and tens
 - two two-digit numbers
 - adding three one-digit numbers
- show that addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot
- recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems

Concrete	Pictorial	Abstract
Subtract a single digit from a two digit, initially without an exchange.	Include place value headings in line with your school. 47 - 15	47 - 5 = 42 47 - 15 = 32
	Progress to subtraction of two digits, without exchange.	
	Progress on to counting back/subtraction using an unmarked number line, when place value is secure : E.g. 57 - 23 = 34	
	<u>34 44 54 57</u> -10 -10 -3	

Progressing to an exchange. Create your number Carry out the subtraction Exchange	We can either parition the number we are subtracting or the number we are subtracting from. e.g. partition the 32 into 20 and 12 or 22 and 10 $32 - 6 = 26$ $111: \leftarrow \text{can't take away 6 one yet.}$ Or $32 - 6 = 26$ $111: \leftarrow \text{can't take away 6 one yet.}$ Or 12 12 13 13 13 14 14 14 14 14 14 14 14	45 - 7 = 38
Two digit subtract two digit, with an enxchange.	$31 - 16 = 15$ $111^{\circ} \text{can't take away 6 ones}$ $111^{\circ} \text{is exchange a ten}$ $1111^{\circ} \text{is exchange a ten}$ $1111^{\circ} $	31 - 16 = 15
Use part, part, whole frames to illustrate that addition and subtraction are inverse calculations - used for missing number problems.	Use part, part, whole and bar models to illustrate and secure the structures of the mathematics.	40 + 60 = 100 - = { 60 = 100

Year 3 Objectives:

- subtract numbers mentally, including:
 - a three-digit number and ones
 - a three-digit number and tens
 - a three-digit number and hundreds
- subtract numbers with up to three digits, using formal written methods of columnar subtraction
- estimate the answer to a calculation and use inverse operations to check answers
- solve problems, including missing number problems, using number facts, place value, and more complex subtraction.



Year 4 Objectives:

- Subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate
- estimate and use inverse operations to check answers to a calculation
- solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why.

Concrete	Pictorial	Abstract
uild on previous year group models and images. Continue to explore formal columnar written method c exchange in order to calculate. Begin with 3 digit subt	Continue to explore formal columnar written method and how to exchange in order to calculate. Begin with 3 digit subtract 3 digit; moving to 4 digit subtract 3 digit and then 4 digit subtract 4 digit. At each stage, only make one exchange initially.	Continue to explore formal columnar written method and how to exchange in order to calculate. Begin with 3 digit subtract 3 digit; moving to 4 digit subtract 3 digit and then 4 digit subtract 4 digit. At each stage, only make one exchange initially. Begin to include O as a place holder: model how to exchange.
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Progress to subtraction of numbers with 2 decimal places in context £318.69 - £146.25 = £172.44 Estimate answers before calculation e.g.	Use pictorial representations as shown above where appropriate.	H T O the hthe 3^2 1 8 . 6 9 - 1 4 6 . 2 5 1 7 2 . 4 4
318.69 - 146.25 = 320 - 150 = 170		

Year 5 Objectives:

- subtract whole numbers with more than 4 digits, including using formal written methods (columnar subtraction)
- subtract numbers mentally with increasingly large numbers
- use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy
- solve subtraction multi-step problems in contexts, deciding which operations and methods to use and why.

Pictorial	Abst	tract					
re subtracting	Subt	tracting	5 dig	git nur	mbers	, movi	ng towar
g numbers with		Subtracting 5 digit numbers, moving toward 6 digit numbers and using 0 as a place hold					
25 – 23.4 =		rete teo					
		e more t					
		ght, whei					
		ттн	тн	н	т	0	
		4	6	₹6.	• VQ 9	14	
	-	2	3	4	5	8	
		2	3	2	4	6	_
	calcu	del how t ulating w mal plac	vith nu				
	calcu	ulating w	vith nu				er when rent
	calcu	ulating w	vith nu	umbe			
	calcu	ulating w mal plac	vith nu ces. 7	umbe Г (rs witł	n diffe . <u>t</u>	rent h
	calcu	ulating w mal plac H	vith nu ces. 7	umber F (6 7	rs witł	n diffe . <u>t</u>	rent h
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umbe Г (6 7 8 4	rs with O 7	n diffe . <u>t</u>	rent ん な'0
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent لہ 4 ' <mark>0</mark> 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent لہ 4 ' <mark>0</mark> 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent ん な '0 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent له ان 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent له ان 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4	n diffe . <u>t</u>	rent ん な '0 5
	calcu decir	ulating w mal plac H	vith nu ces. 7 4 8	umber F (6 7 B 4	rs with O 7 4		

Year 6 Objectives:

• solve subtraction multi-step problems in contexts, deciding which operations and methods to use and why

Concrete	Pictorial	Abstract
Apply knowledge and understanding to the solving of different problems involving subtraction dealing with digits to 1,000,000. Subtract numbers with up to 3 decimal places, in context such as measure.		H T O t h th 8 6^{5} 14^{13} 10^{4} 14 6 - 5 3 6 t 8 7 3 3 2 7 t 1 7 3
	Use counting on to subtract smaller numbers with decimals. 2.14 - 1.3 = 0.84 +0.7 +0.14 1.3 2.0 2.14	Solve problems in real contexts e.g. A car company needed to sell 345,234 cars in 3 months. In the first month they sold 122,408 and in the second month they sold 159,386 cars. How many did they need to sell in the third month? 345,234 - (122,408 + 159,386) =63,440
	Use counting on to subtract money from multiples of 10 e.g. £50. £50 - 32.58 = £17.42 42p £17 32.58 33.00 50.00	